


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	6/27/2016	DPD	JAG





NOTE:
REF. AIRBUS T/N: RBEM632V3014102.

DART AEROSPACE																				
TITLE SERVO CONTROL STAY																				
DWG NO. RBEM632V3014102	REV 1																			
<table border="1"> <tr> <td>MAT'L</td> <td rowspan="4"> UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125° ✓ </td> </tr> <tr> <td>TREAT</td> </tr> <tr> <td>FINISH</td> </tr> <tr> <td>SPEC</td> </tr> <tr> <td>DRAWN BY: DUERFELDT</td> <td>1. BREAK ALL SHARP EDGES .015 x 45° OR .015R</td> </tr> <tr> <td>CHECKED: MACKOVJAK</td> <td>2. DIMENSIONAL LIMITS APPLY AFTER PLATING</td> </tr> <tr> <td>OPPS APPR: ANDERSON</td> <td>3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009</td> </tr> <tr> <td>QA APPR: LINDSAY</td> <td>USED ON MODEL</td> </tr> <tr> <td>APPROVED: GILBERT</td> <td>H175</td> </tr> <tr> <td>SCALE 1:5</td> <td>DATE 3/31/2016</td> </tr> <tr> <td colspan="2">SHEET 1 OF 7</td> </tr> </table>		MAT'L	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125° ✓	TREAT	FINISH	SPEC	DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	CHECKED: MACKOVJAK	2. DIMENSIONAL LIMITS APPLY AFTER PLATING	OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	QA APPR: LINDSAY	USED ON MODEL	APPROVED: GILBERT	H175	SCALE 1:5	DATE 3/31/2016	SHEET 1 OF 7	
MAT'L	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125° ✓																			
TREAT																				
FINISH																				
SPEC																				
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R																			
CHECKED: MACKOVJAK	2. DIMENSIONAL LIMITS APPLY AFTER PLATING																			
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009																			
QA APPR: LINDSAY	USED ON MODEL																			
APPROVED: GILBERT	H175																			
SCALE 1:5	DATE 3/31/2016																			
SHEET 1 OF 7																				

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	3	SHIM	WHITE DELRIN		2
			-3	1	CONTENTS PLACARD	PLASTIC		3
		B/O	-5	3	SHORT STRAP	NYLON WEB	OD GREEN W/ HOOK & LOOP SEWN (EUGENE EQUIPMENT)	4
		B/O	-7	1	STRAP 1500	NYLON WEB	OD GREEN W/ HOOK & LOOP SEWN (EUGENE EQUIPMENT)	5
		B/O	-9	1	BOTTOM FOAM	Y20, BLACK	4.25 X 11.40 X 17.00 (I.R. SPECIALTY)	6
		B/O	-11	1	TOP FOAM	Y20, BLACK	1.73 X 11.40 X 17.00 (I.R. SPECIALTY)	7
		B/O	-13	1	CASE	PLASTIC	PELICAN #APP-1500-E	N/S
		B/O		1	DART PLACARD	ALUMINUM	RB41011	N/S

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED




NOTE:
USE PDF.

(-3)
CONTENTS PLACARD

DART AEROSPACE	
TITLE SERVO CONTROL STAY	
DWG NO. RBEM632V3014102-3	REV 1
MAT'L PLASTIC HEAT TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125° ✓	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: DUERFELDT	USED ON MODEL H175
CHECKED: MACKOVJAK	
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: GILBERT	
SCALE 1:1	DATE 3/31/2016
SHEET 3 OF 7	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED




(5)
SHORT STRAP

DART AEROSPACE	
TITLE SERVO CONTROL STAY	
DWG NO. RBEM632V3014102-5	REV 1
MAT'L NYLON WEB TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX \pm .010 FRACTIONS \pm 1/8 .XX \pm .03 ANGLES \pm 1° .X \pm .1 SURFACES = 125°	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: DUERFELDT CHECKED: MACKOVJAK OPPTS APPR: ANDERSON QA APPR: LINDSAY APPROVED: GILBERT	
USED ON MODEL H175	
SCALE 1:2	DATE 3/31/2016
SHEET 4 OF 7	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED




(-7)
STRAP 1500

DART AEROSPACE	
TITLE SERVO CONTROL STAY	
DWG NO. RBEM632V3014102-7	REV 1
MAT'L NYLON WEB	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .010 FRACTIONS ± 1/8	
.XX ± .03 ANGLES ± 1°	
.X ± .1 SURFACES = 125°	
SPEC	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: DUERFELDT	USED ON MODEL
CHECKED: MACKOVJAK	H175
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: GILBERT	
SCALE 1:2	DATE 3/31/2016
SHEET 5 OF 7	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL







(-9)

BOTTOM FOAM

DART AEROSPACE	
TITLE SERVO CONTROL STAY	
DWG NO. RBEM632V3014102-9	REV 1
MAT'L Y20, BLACK	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .010 FRACTIONS ± 1/8	
.XX ± .03 ANGLES ± 1°	
.X ± .1 SURFACES = 125°	
SPEC	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: DUERFELDT	USED ON MODEL H175
CHECKED: MACKOVJAK	
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: GILBERT	
SCALE 1:5	DATE 3/31/2016
SHEET 6 OF 7	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	



SECTION A-A

(11)

TOP FOAM

DART AEROSPACE	
TITLE SERVO CONTROL STAY	
DWG NO. RBEM632V3014102-11	REV 1
MAT'L Y20, BLACK TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125°	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: DUERFELDT CHECKED: MACKOVJAK OPPTS APPR: ANDERSON QA APPR: LINDSAY APPROVED: GILBERT	
USED ON MODEL H175	
SCALE 1:5	DATE 3/31/2016
SHEET 7 OF 7	